



COMMERCIAL LED LIGHTING

PRODUCT REFERENCE GUIDE

100 E. Crossroads Pkwy. Ste. C
Bolingbrook, IL 60440
630-793-9449
www.gkoled.com

Updated: October 10, 2024

We are a customer focused, Chicago based LED lighting wholesaler providing high-quality lighting, designed and manufactured by industry experts.

HIGH QUALITY PRODUCT

Our products are manufactured using top-of-the-line components, and are UL and DLC Listed. They undergo strict quality control and are lab-tested and approved, ensuring you receive the highest quality product.

EXTENSIVE CHICAGO STOCK

With our headquarters and extensive stock conveniently located near Chicago, GKOLED products are always within reach. We also carry a wide variety of mounting options and accessories such as motion sensors and photocells, so we can meet all of our customers' needs.

5 OR 10 YEAR LIMITED WARRANTY

All GKOLED Products are covered by a 5-year or 10-year limited warranty, as indicated. Our claim process is quick and simple - if there is an issue with one of our products, we will make it right.

GREAT CUSTOMER SERVICE

We pride ourselves on our team's desire to go the extra mile for our customers and our ability to create unique solutions for customers with complicated projects. We also know your time is valuable, so we ensure quick turnaround times for all quotes and inquiries.

FREE SHIPPING

We appreciate your business, so on orders over \$1000, we offer our customers free shipping anywhere in the United States (some product exclusions apply). Additionally, our sales representatives keep track of your shipment every step of the way. If you have questions, we will get you an update ASAP.

ENERGY-EFFICIENT & REBATE COMPLIANT

In addition to energy savings provided by the efficiency of our LED products, GKOLED light fixtures are designed to meet the requirements of many national energy rebate programs.

TABLE OF CONTENTS

INDOOR FIXTURES

High Bays	3-5
GKOMLHG4 / GKOMLHG6 / GKOMLHG7 / GKOHB02 GKOHB04 / GKOHB05 / GKOHB06 / GKOHBG8	
Canopy Lights	5
GKOCP03 / GKOCP05	
LED Panels	6
GKOPLG2	
LED Troffers	6
GKOTRG1	
Linear Fixtures	7
GKOLFG2	
Vapor Tight	7
GKOV TG3 / GKOV TG4	

OUTDOOR FIXTURES

Area Lights	8
GKOALG5 / GKOALG8 / GKOALG6	
Flood Lights	8-9
GKOFDG9 / GKOFD08 / GKOFDG11 / GKOFD03 / GKOFR01	
Wall Packs	9-10
GKOWP08 / GKOWPG2 / GKOWPG15 / GKOWM01	
Dusk To Dawn	10
GKODDG5	
Post Top Lights	10
GKOPT01	
Bollard Lights	10
GKOBL01	
Sports Lights	10
GKOSLG2	





Bluetooth[®] NETWORKED CONTROLS

DLC NLC qualified Networked Controls on a Bluetooth SIG Mesh Network operated with iOS, Android, and web.

Our most popular fixtures are now available with optional Bluetooth Networked Controls, allowing the lighting professional and end user to easily program and control groups of lights for automatic behavior.

Reliable

Our Bluetooth Networked Controls are DLC NLC qualified, meeting the stringent DLC 5.0 standards for cybersecurity and interoperability. They are fully tested with each product for which they are offered before being brought to market.

Easy To Use

The app used to set up and commission the lights is intuitive and user-friendly, and accessible from any location on a computer or iOS/Android mobile device with an internet connection.

Cost-Effective

There are no additional fees or subscription costs beyond the initial price for the smart control hardware. The operating app is automatically included with the controls.

Advanced Capabilities



GROUPING

Multiple fixtures are linked together as a "zone" which are linked together as an "area", allowing lights to react and behave the same way.



OCCUPANCY SENSOR

Adjusts the light output of all linked fixtures to a pre-defined level when motion is sensed in the area.



0-10V DIMMING

Allows customized lighting outputs that can be integrated with occupancy or scheduling.




SCHEDULING

The light control settings are programmed based on time and day of the week using In-Node Scheduling.



SECURITY LIGHTING

Fixtures can be continuously lit for security lighting, even when all other lights are off.



Indoor

High Bays



Networked Controls















POWER TUNABLE


40% 60% 80% 100%

















CCT TUNABLE

40K 50K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty	
	GKOMLHG4 	GKOMLHG490W27V50KCD	90W	---	12,600 lm	5000K 4000K*	80	---	120-277V 347-480V*	1' x 2'		Damp Location	(3) F54T5 (4) F32T8 250W HID	Steel Mounting Cable (Included)			
		GKOMLHG4130W27V50KCD	130W		18,500 lm								(4) F54T5 (6) F32T8 400W HID				
		GKOMLHG4B130W27V50KCD	130W		18,500 lm								(4) F54T5 (6) F32T8 400W HID				
		GKOMLHG4180W27V50KCD	180W		25,200 lm								(6) F54T5 (8) F32T8 500W HID				
		GKOMLHG4210W27V50KCD	210W		29,000 lm								(8) F54T5 (10) F32T8				
		GKOMLHG4L130W27V50KCD	130W		18,500 lm								4) F54T5 (6) F32T8 400W HID				Steel Mounting Cable (Included) Pendant* Hanger
		GKOMLHG4L180W27V50KCD	180W		24,000 lm								(6) F54T5 (8) F32T8 500W HID				
		GKOMLHG4L210W27V50KCD	210W		29,000 lm								(8) F54T5 (10) F32T8				
		GKOMLHG4270W27V50KCD	270W		37,000 lm								(12) F54T5 (14) F32T8				
		GKOMLHG4300W27V50KCD	300W		41,500 lm								(16) F54T5 (18) F32T8 1,000W HID				
GKOMLHG4370W27V50KCD	370W	50,500 lm	(20) F54T5 (24) F32T8														
	GKOMLHG6 	GKOMLHG690W27V50KPD	90W	---	12,500 lm	5000K 4000K*	80	---	120-277V 347-480V*	1' x 1'		Damp Location	(3) F54T5 (4) F32T8 250W HID	Steel Mounting Cable (Included) Pendant* Hanger	Motion* Sensor Battery* Backup Wire Guard*	5 Years	
		GKOMLHG6130W27V50KPD	130W		17,600 lm								(4) F54T5 (6) F32T8 400W HID				
		GKOMLHG6175W27V50KPD	175W		23,500 lm								(6) F54T5 (8) F32T8				
		GKOMLHG6210W27V50KPD	210W		30,500 lm								(8) F54T5 (10) F32T8				
		GKOMLHG6270W27V50KPD	270W		38,000 lm								(12) F54T5 (14) F32T8				
		GKOMLHG6300W27V50KPD	300W		40,000 lm								(16) F54T5 (18) F32T8				
		GKOMLHG6210W27V50KPD	210W		Power & CCT								30,500 lm				(8) F54T5 (10) F32T8

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty																																																																
   	GKOMLHG7   	GKOMLHG7130W27VDDKWPD	130W	Power & CCT	18,500 lm	5000K 4000K*	80	---	120-277V	10" x 14"		Damp Location	(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger Surface* Mounting Brackets	Motion* Sensor Battery* Backup Wire Guard*	5 Years																																																																
		GKOMLHG7160W27VDDKWPD	160W		24,100 lm					11" x 18"			(6) F54T5 (8) F32T8																																																																			
		GKOMLHG7205W27VDDKWPD	205W		30,500 lm					11" x 18"			(8) F54T5 (12) F32T8																																																																			
		GKOMLHG7250W27VDDKWPD	250W		36,100 lm					11" x 27"			(12) F54T5 (18) F32T8																																																																			
		GKOMLHG7300W27VDDKWPD	300W		42,000 lm					11" x 27"			(18) F54T5 (20) F32T8																																																																			
		GKOMLHG7410W27VDDKWPD	410W		60,600 lm					11" x 36"			(22) F54T5 (26) F32T8																																																																			
		GKOMLHG778W27VDDKWPD	78W	12,100 lm	10" x 14"					CCT			---				---	120-277V	10" x 14"		Damp Location	(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger Surface* Mounting Brackets	Motion* Sensor Battery* Backup Wire Guard*	5 Years																																																							
		GKOMLHG796W27VDDKWPD	96W	15,500 lm	11" x 18"														(6) F54T5 (8) F32T8																																																													
		GKOMLHG7104W27VDDKWPD	104W	15,200 lm	10" x 14"																					---	---	---	120-277V	10" x 14"		Damp Location	(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger Surface* Mounting Brackets	Motion* Sensor Battery* Backup Wire Guard*	5 Years																																												
		GKOMLHG7123W27VDDKWPD	123W	19,500 lm	11" x 18"																									(6) F54T5 (8) F32T8																																																		
		GKOMLHG7128W27VDDKWPD	128W	20,000 lm	11" x 18"																																---	---	---	120-277V	11" x 18"		Damp Location	(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger Surface* Mounting Brackets	Motion* Sensor Battery* Backup Wire Guard*	5 Years																																	
		GKOMLHG7150W27VDDKWPD	150W	24,000 lm	11" x 27"																																				(6) F54T5 (8) F32T8																																							
		GKOMLHG7164W27VDDKWPD	164W	25,000 lm	11" x 18"																																											---	---	---	120-277V	11" x 18"		Damp Location	(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger Surface* Mounting Brackets	Motion* Sensor Battery* Backup Wire Guard*	5 Years																						
		GKOMLHG7180W27VDDKWPD	180W	28,000 lm	11" x 27"																																															(8) F54T5 (12) F32T8																												
		GKOMLHG7200W27VDDKWPD	200W	30,200 lm	11" x 27"																																																						---	---	---	120-277V	11" x 27"		Damp Location	(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger Surface* Mounting Brackets	Motion* Sensor Battery* Backup Wire Guard*	5 Years											
		GKOMLHG7240W27VDDKWPD	240W	36,000 lm	11" x 27"																																																										(12) F54T5 (18) F32T8																	
		GKOMLHG7246W27VDDKWPD	246W	38,400 lm	11" x 36"																																																																	---	---	---	120-277V	11" x 36"		Damp Location	(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger Surface* Mounting Brackets	Motion* Sensor Battery* Backup Wire Guard*	5 Years
		GKOMLHG7328W27VDDKWPD	328W	50,000 lm	11" x 36"																																																																					(18) F54T5 (20) F32T8						





	GKOHBO2	GKOHBO267W27V50KW	67W	---	9,400 lm	5000K 4000K*	70	---	120-277V	13.03"	---	Wet Location	175W MH	Hook & Pendant (Included) Adjustable* Surface Mounting Bracket	Motion* Sensor Battery* Backup	5 Years
		GKOHBO297W27V50KW	97W		13,700 lm					250W MH						
		GKOHBO2100W27V50KW	100W		14,000 lm					250W MH						
		GKOHBO2140W27V50KW	140W		19,100 lm					250W MH						
		GKOHBO2180W27V50KW	180W		24,500 lm					400W MH						

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Diameter	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOH B04	GKOH B04135W27V50KD	135W	---	19,400 lm	5000K 4000K*	70	---	120-277V 347-480V*	15.35"		Wet Location	250W MH	Hook & Pendant (Included)	Motion* Sensor Battery* Backup Aluminum* Reflector	5 Years
		GKOH B04175W27V50KD	175W		25,600 lm								320W MH			
		GKOH B04200W27V50KD	200W		29,800 lm								400W MH			
	GKOH B05  	GKOH B05350W27V50KDAD	350W	Power	62,000 lm	5000K 4000K*	70	---	120-277V 347-480V*	24.25"		Wet Location	750W MH	Hook & Pendant (Included)	Motion* Sensor	5 Years
		GKOH B05410W27V50KDAD	410W		72,000 lm								1,000W MH			
	GKOH B06   	GKOH B0667W27V50KB	67W	---	9,100 lm	5000K 4000K*	80	---	120-277V 120-277V 347-480V*	13.03"		Wet Location	175W MH	Hook & Pendant (Included) Adjustable Surface Mounting Bracket	Motion* Sensor Battery* Backup	5 Years
		GKOH B06140W27V50KB	140W		17,500 lm								250W MH			
		GKOH B06180W27V50KB	180W		25,000 lm								400W MH			
		GKOH B06215W27V50KB	215W	30,000 lm	400W MH											
		GKOH B0697W27VDDKB	97W	14,000 lm	250W MH											
		GKOH B06215W27VDDKB	215W	30,500 lm	400W MH											
	GKOH B08   	GKOH B08100W27VDDKBAD2	100W	Power & CCT	16,000 lm	5000K 4000K	70	---	120-277V	10.7"		Wet Location	250W MH	Hook & Pendant (Included) Adjustable* Surface Mounting Bracket	Motion* Sensor Battery* Backup	5 Years
		GKOH B08150W27VDDKBAD2	150W		24,000 lm								250W MH			
		GKOH B08210W27VDDKBAD2	210W		30,000 lm								400W MH			
		GKOH B08230W27VDDKBAD2	230W		35,000 lm								750W MH			
		GKOH B0860W27VDDKB2	60W	10,000 lm	CCT					10.7"			250W MH			
		GKOH B0880W27VDDKB2	80W	13,000 lm									250W MH			
		GKOH B0890W27VDDKB2	90W	15,500 lm									250W MH			
		GKOH B08120W27VDDKB2	120W	20,000 lm									250W MH			
		GKOH B08138W27VDDKB2	138W	24,000 lm									250W MH			
		GKOH B08184W27VDDKB2	184W	29,000 lm									750W MH			

Canopy Lights

POWER TUNABLE
40% 60% 80% 100%

CCT TUNABLE
40K 50K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOC P03	GKOC P0330W27V50KWDPG	30W	---	4,000 lm	5000K 4000K*	70	Parking Garage	120-277V 347V*	12"		Wet Location	100W MH	Quick Mount Plate (Included)	Motion* Sensor Battery* Backup	5 Years
		GKOC P0345W27V50KWDPG	45W		5,700 lm								100W MH			
		GKOC P0360W27V50KWDPG	60W		7,500 lm								175W MH			
		GKOC P0390W27V50KWDPG	90W		12,300 lm								250W MH			
		GKOC P0360W27VDDKKWDPG	60W	Power & CCT	7,700 lm					12"			175W MH			
	GKOC P05	GKOC P0527W27V50KDD	27W	---	3,800 lm	5000K 4000K*	70	Parking Garage	120-277V	---		Wet Location	100W MH	Quick Mount Plate (Included)	Motion* Sensor Battery* Backup	5 Years
		GKOC P0540W27V50KDD	40W		5,450 lm								175W MH			
		GKOC P0560W27V50KDD	60W		8,000 lm								250W MH			

LED Panels



Networked Controls

POWER TUNABLE
LV3 LV2 LV1

CCT TUNABLE
35K 40K 50K

Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
GKOPLG2 	GKOPLG222B20W27VPC**	20W	CCT	2,660 lm	5000K 4000K 3500K	83	---	120-277V	2' x 2'		Damp Location		Recessed Mounting Surface Mount Kit* Suspension Kit*	Motion* Sensor Battery* Backup	5 Years
	GKOPLG222B25W27VPC**	25W		3,225 lm		83									
	GKOPLG222B30W27VPC	30W	Power & CCT	3,750 lm		83									
	GKOPLG214B25W27VPC**	25W	CCT	3,325 lm		82									
	GKOPLG214B30W27VPC**	30W		3,870 lm		82									
	GKOPLG214B40W27VPC	40W	Power & CCT	5,000 lm		82									
	GKOPLG224B25W27VPC**	25W	CCT	3,300 lm		83									
	GKOPLG224B30W27VPC**	30W		3,840 lm		83									
	GKOPLG224B40W27VPC**	40W		Power & CCT		4,960 lm			83						

LED Troffers



Networked Controls

POWER TUNABLE
LV3 LV2 LV1


CCT TUNABLE
35K 40K 50K

Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
GKOTRG1 	GKOTRG122D20W27VDDK	20W	CCT	2,800 lm	5000K 4000K 3500K	83	---	120-277V	2' x 2'		Damp Location		Recessed Mounting Surface Mount Kit*	Motion* Sensor Battery* Backup	5 Years
	GKOTRG122D25W27VDDK	25W		3,375 lm		83									
	GKOTRG122D30W27VDDK	30W	Power & CCT	3,900 lm		83									
	GKOTRG122D30W27VDDK	30W	CCT	3,900 lm		80									
	GKOTRG122D35W27VDDK	35W		4,620 lm		82									
	GKOTRG122D40W27VDDK	40W	Power & CCT	5,200 lm		82									
	GKOTRG114D20W27VDDK	20W	CCT	2,600 lm		84									
	GKOTRG114D25W27VDDK	25W		3,250 lm		84									
	GKOTRG114D30W27VDDK	30W	Power & CCT	3,900 lm		82									
	GKOTRG124D25W27VDDK	25W	CCT	3,450 lm		82									
	GKOTRG124D30W27VDDK	30W		4,020 lm		82									
	GKOTRG124D34W27VDDK	35W		Power & CCT		4,550 lm			82						
	GKOTRG124D35W27VDDK	34W	CCT	4,760 lm		83									
	GKOTRG124D38W27VDDK	38W		5,130 lm		83									
	GKOTRG124D45W27VDDK	45W	Power & CCT	5,850 lm		83									

Linear Fixtures

POWER TUNABLE
40% 60% 80% 100%





CCT TUNABLE
3K 4K 5K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOLFG2 <small>POWER TUNABLE CCT TUNABLE</small>	GKOLFG223W27V50KF	23W	---	3,000 lm	5000K 4000K*	80	---	120-277V	4'	---	Damp Location	T8	Steel Cable*	Motion* Sensor Battery Backup* Row* Connector	5 Years
		GKOLFG235W27V50KF	35W		4,700 lm								(2) T8			
		GKOLFG245W27V50KF	45W		6,000 lm								(2) T5H0			
		GKOLFG235W27KDDKF	35W	4,700 lm	(2) T8											
		GKOLFG245W27VDDKF	45W	6,050 lm	(2) T5H0											

Vapor Tight

POWER TUNABLE
LV3 LV2 LV1

CCT TUNABLE
35K 40K 50K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOVGT3	GKOVGTG345W27V50KLB	45W	---	6,000 lm	5000K 4000K*	80	Low Bay	120-277V	---		Wet Location	175W MH	---	Motion* Sensor Battery* Backup	5 Years
		GKOVGTG370W27V50KLB	70W		9,400 lm								250W MH			
		GKOVGTG395W27V50KLB	95W		13,000 lm								250W MH			
		GKOVGTG345W27V50KPG	45W		5,600 lm								175W MH			
		GKOVGTG370W27V50KPG	70W		8,500 lm								250W MH			
		GKOVGTG395W27V50KPG	95W		11,600 lm								250W MH			
	GKOVGT4 <small>POWER TUNABLE CCT TUNABLE</small>	GKOVGTG450W27VDDKGF	50W	Power & CCT	6,800 lm	5000K 4000K 3500K	80	---	120-277V	4'		Wet Location	175W MH	Surface Mounting Bracket 11.8 Inch* Chain 9.8 Foot* Cable	Motion* Sensor Battery* Backup	5 Years
		GKOVGTG490W27VDDKGF	90W		13,000 lm					250W MH						

Outdoor

Area Lights





Bluetooth | Networked Controls | **POWER TUNABLE** 40% 60% 80% 100% | **CCT TUNABLE** 3K 4K 5K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOALG5	GKOALG5100W27V50KDSQT3	100W	---	14,100 lm	5000K 4000K*	70	Type III Type IV* Type V*	120-277V 347-480V*	Small		Wet Location	250W MH	Pole Mount Adjustable Pole Mount Slipfitter Wall Mount Yoke Mount	Photocell* Motion Sensor Backlight Glare Shield	5 Years
		GKOALG5150W27V50KDSQT3	150W		21,000 lm					400W MH						
		GKOALG5180W27V50KDSQT3	180W		25,000 lm					400W MH						
		GKOALG5250W27V50KDSQT3	250W		35,000 lm					750W MH						
		GKOALG5300W27V50KDSQT3	300W		42,000 lm					1,000W MH						
	GKOALG8 Bluetooth POWER TUNABLE CCT TUNABLE	GKOALG8100W27VDDKDSQT3AD	100W	---	14,500 lm	5000K 4000K 3000K	70	Type III Type IV* Type V*	120-277V 347-480V*	Medium		Wet Location	250W MH	Pole Mount Adjustable Pole Mount Slipfitter Wall Mount Yoke Mount	Photocell* Motion Sensor Backlight Glare Shield Full Glare Shield	5 Years
		GKOALG8140W27VDDKDSQT3AD	140W		20,000 lm					400W MH						
		GKOALG8180W27VDDKDSQT3AD	180W		24,000 lm					400W MH						
		GKOALG8250W27VDDKDSQT3AD	250W		33,500 lm					750W MH						
		GKOALG8300W27VDDKDSQT3AD	300W		41,000 lm					1,000W MH						
	GKOALG6	GKOALG6100W27V50KDSQT3	100W	---	14,200 lm	5000K 4000K*	70	Type III Type IV* Type V*	120-277V 347-480V*	Medium		Wet Location	250W MH	Pole Mount Slipfitter Wall Mount	Photocell*	10 Years
		GKOALG6150W27V50KDSQT3	150W		21,200 lm					400W MH						
		GKOALG6200W27V50KDSQT3	200W		28,000 lm					400W MH						
		GKOALG6240W27V50KDSQT3	240W		34,000 lm					750W MH						
		GKOALG6300W27V50KDSQT3	300W		42,500 lm					1,000W MH						
		GKOALG6350W27V50KDSQT3	350W		50,000 lm					1,000W MH						

Flood Lights

POWER TUNABLE 40% 60% 80% 100% | **CCT TUNABLE** 3K 4K 5K






	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOFDG9	GKOFDG9100W27V50KBDB77	100W	---	14,800 lm	5000K 4000K*	70	7Hx7V	120-277V 347-480V*	Medium		Wet Location	320W MH	Yoke Mount Slipfitter Wall Mount	Photocell*	10 Years
		GKOFDG9150W27V50KBDB77	150W		22,200 lm								400W MH			
		GKOFDG9200W27V50KBDB77	200W		28,800 lm								400W MH			
		GKOFDG9240W27V50KBDB77	240W		35,500 lm								750W MH			
		GKOFDG9300W27V50KBDB77	300W		43,700 lm								1,000W MH			
		GKOFDG9350W27V50KBDB77	350W		51,000 lm								1,000W MH			
	GKOFD08	GKOFD0815W27V50KDDB76KN	15W	---	2,000 lm	5000K 4000K*	70	7Hx6V	120-277V	X-Small		Wet Location	50W MH	Knuckle Trunnion	Photocell*	5 Years
		GKOFD0827W27V50KDDB76KN	27W		3,700 lm					100W MH						
		GKOFD0845W27V50KDDB76KN	45W		6,150 lm					175W MH						
		GKOFD0860W27V50KDDB76KN	60W		7,800 lm					250W MH						
		GKOFD0870W27V50KDDB76YK	70W		9,400 lm					250W MH						
		GKOFD08100W27V50KDDB76YK	100W		13,500 lm					250W MH						
		GKOFD08135W27V50KDDB76YK	135W		18,500 lm					320W MH						
		GKOFD08200W27V50KDDB76YK	200W		27,000 lm					400W MH						
		GKOFD08350W27V50KDDB76TR	350W		50,000 lm					1,000W MH						


	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty	
	GKOFDG11 POWER TUNABLE CCT TUNABLE	GKOFDG1115WDDKDB77	15W	Power & CCT	2,050 lm	5000K 4000K 3000K	70	7Hx7V	120-277V	Small		Wet Location	50W MH	Knuckle Trunnion	Photocell (Included)	5 Years	
		GKOFDG1127WDDKDB77	27W		3,500 lm								100W MH				
		GKOFDG1140WDDKDB77	40W		5,700 lm								175W MH				
		GKOFDG1165WDDKDB77	65W		9,200 lm								250W MH				
		GKOFDG1190WDDKDB77	90W		13,400 lm								320W MH				Yoke Mount Slipfitter
		GKOFDG11120WDDKDB77	120W		17,500 lm								400W MH				
	GKOFD03	GKOFD15W27V50KBDB77	15W	---	1,500 lm	5000K	70	7Hx7V	120-277V	Small	---	Wet Location	250W MH	Knuckle Trunnion	---	5 Years	
		GKOFD30W27V50KBDB77	30W	3,000 lm	4000K*	320W MH											
		GKOFD45W27V50KBDB77	45W	5,400 lm	3000K*	320W MH											
		GKOFD15W27V50KBDB77	15W	---	---	---							---				---
	GKOFR01	GKOFR20W27V50KBDSFL	20W	---	2,500 lm	5000K	70	20°	120-277V	---	---	Wet Location	100W MH	Knuckle	---	5 Years	
		GKOFR20W27V50KBDNFL	20W		2,500 lm			44°									
		GKOFR30W27V50KBDSFL	30W		3,350 lm			20°									
		GKOFR30W27V50KBDNFL	30W		3,350 lm			44°									

Wall Packs



POWER TUNABLE
40% 60% 80% 100%

CCT TUNABLE
3K 4K 5K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOWP08 POWER TUNABLE CCT TUNABLE	GKOWP0830W27V50KD	30W	---	3,500 lm	5000K 4000K*	70	---	120-277V	---		Wet Location	100W MH	---	Photocell*	5 Years
		GKOWP0840W27V50KD	40W		4,850 lm				175W MH							
		GKOWP0865W27V50KD	65W		7,900 lm				250W MH							
		GKOWP0890W27V50KD	90W		10,800 lm				320W MH							
		GKOWP08125W27V50KD	125W		15,400 lm				400W MH							
		GKOWP0865W27VDDKD	65W		7,900 lm				250W MH							
		GKOWP08100W27VDDKD	100W		11,600 lm				400W MH							
	GKOWPG2	GKOWPG227W27V50KD	27W	---	4,100 lm	5000K 4000K*	70	---	120-277V	Small		Wet Location	100W MH	---	Photocell* Battery* Backup	5 Years
		GKOWPG245W27V50KD	45W		6,600 lm				175W MH							
		GKOWPG270W27V50KD	70W		9,900 lm				250W MH							
		GKOWPG290W27V50KD	90W		12,200 lm				320W MH							
		GKOWPG2135W27V50KD	135W		18,000 lm				400W MH							
	GKOWPG15 POWER TUNABLE CCT TUNABLE	GKOWPG1526W27V50KD	26W	---	3,900 lm	5000K 4000K* 3000K*	70	---	120-277V	Small	---	Wet Location	100W MH	---	Photocell* Battery* Backup	5 Years
		GKOWPG1538W27V50KD	38W		5,800 lm				175W MH							
		GKOWPG1565W27V50KD	65W		9,800 lm				250W MH							
		GKOWPG15100W27V50KD	100W		15,000 lm				320W MH							
		GKOWPG15135W27V50KD	135W		20,000 lm				400W MH							
		GKOWPG1538W27VDDKD	38W		5,600 lm				175W MH							
		GKOWPG1565W27VDDKD	65W		9,500 lm				250W MH							
		GKOWPG15100W27VDDKD	100W		14,800 lm				320W MH							

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOWM01 Clear Lens	GKOWM15W27V50KDPO	15W	---	1,750 lm	5000K 4000K*	70	---	120-277V	---	---	Wet Location	100W INC	---	Photocell (Included)	5 Years
		GKOWM17W27V50KDPO	17W		1,950 lm								120W INC			
		GKOWM25W27V50KDPO	25W		2,600 lm								50W MH			
	GKOWM01 Frosted Lens	GKOWM15W27V50KDPOF	15W		1,820 lm								100W INC			
		GKOWM17W27V50KDPOF	17W		2,000 lm								120W INC			
		GKOWM25W27V50KDPOF	25W		2,700 lm								50W MH			




Dusk To Dawn

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKODDG5	GKODDG545W27V50KSGPO	45W	---	6,200 lm	5000K 4000K*	70	---	120-277V	---		Wet Location	100W MH	Mounting* Arm	Photocell (Included)	5 Years
		GKODDG565W27V50KSGPO	65W		8,800 lm								175W MH			
		GKODDG590W27V50KSGPO	90W		12,400 lm								250W MH			

Post Top Lights




POWER TUNABLE
LV4 LV3 LV2 LV1

CCT TUNABLE
3K 4K 5K



	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOPT01  	GKOPLO1130W27VDDKD	130W	Power & CCT	16,000 lm	5000K 4000K 3000K	70	---	120-277V	---	---	Wet Location	400W MH	---	Photocell* Motion* Sensor	5 Years

Bollard Lights

CCT TUNABLE
3K 4K 5K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOBL01 	GKOBL0126W27V50KD	26W	---	3,100lm	5000K 4000K*	70	---	120-277V	---		Wet Location	100W MH	---	Battery* Backup	5 Years
		GKOBL0126W27VDDKD	26W	Power & CCT	3,100lm	5000K 4000K 3000K							100W MH			

Sports Lights

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOSLG2	GKOSLG2510W27V50KBB44TR	510W	---	71,000 lm	5000K 4000K* 5700K*	70	4Hx4V	120-277V 347-480V*	---		Wet Location	1,500W MH	Trunion*	Top Visor (Included) Laser* Aiming Sight	5 Years

PRODUCT SERIES

INDOOR

LED Panels
LED Troffers

High Bays
Canopy Lights

Vapor Tight
Linear Fixtures

OUTDOOR

Area Lights
Flood Lights

Sports Lights
Wall Packs

Dusk To Dawn
Pathway Lights

