






GKOLED®

COMMERCIAL LED LIGHTING

PRODUCT REFERENCE GUIDE

100 E. Crossroads Pkwy. Ste. C
Bolingbrook, IL 60440
630-793-9449
www.gkoled.com

Version 5 - 2026

We are a customer focused, Chicago based LED lighting wholesaler providing high-quality lighting, designed and manufactured by industry experts.

HIGH QUALITY PRODUCT

Our products are manufactured using top-of the line components, and are UL Certified and DLC Listed. They undergo strict quality control and are lab-tested and approved, ensuring you receive the highest quality product.

EXTENSIVE CHICAGO STOCK

With our headquarters and extensive stock conveniently located near Chicago, GKOLED products are always within reach. We also carry a wide variety of mounting options and accessories such as motion sensors and photocells, so we can meet all of our customers' needs.

5 OR 10 YEAR LIMITED WARRANTY

All GKOLED Products are covered by a 5-year or 10-year limited warranty, as indicated. Our claim process is quick and simple - if there is an issue with one of our products, we will make it right.

GREAT CUSTOMER SERVICE

We pride ourselves on our team's desire to go the extra mile for our customers and our ability to create unique solutions for customers with complicated projects. We also know your time is valuable, so we ensure quick turnaround times for all quotes and inquiries.

FREE SHIPPING

We appreciate your business, so on orders over $1000, we offer our customers free shipping anywhere in the United States (some product exclusions apply). Additionally, our sales representatives keep track of your shipment every step of the way. If you have questions, we will get you an update ASAP.

ENERGY-EFFICIENT & REBATE COMPLIANT

In addition to energy savings provided by the efficiency of our LED products, GKOLED light fixtures are designed to meet the requirements of many national energy rebate programs.



TABLE OF CONTENTS

INDOOR FIXTURES

High Bays 1-3
GKOMLHG4 / GKOMLHG6 / GKOMLHG7 / GKOHB04 / GKOHB05 / GKOHB06 / GKOHBG8

Canopy Lights 3
GKOCP03 / GKOCP05 / GKOCPG7

LED Panels 4
GKOPLG2 / GKOPLG3

LED Troffers 4
GKOTRG1

Architectural 5
GKOARLG1 / GKOARCHG2

Linear Fixtures 6
GKOLFG4

Vapor Tight 6
GKOVTG4

Magnetic Strip Kits 6
GKOMSG1

OUTDOOR FIXTURES

Area Lights 7
GKOALG5 / GKOALG8

Roadway Lights 7
GKORLG2

Flood Lights 7-8
GKOFD08 / GKOFDG11 / GKOFD03 / GKOFR01

Wall Packs 8-9
GKOWP08 / GKOWPG2 / GKOWPG3 / GKOWPG15 / GKOWPG10 / GKOWM01 / GKOWMG2

Dusk To Dawn 9
GKODDG5

Post Top Lights 10
GKOPTG1 / GKOPTG4


Bollard Lights 10
GKOBL01

Sports Lights 10
GKOSLG2

Indoor

High Bays

Bluetooth Networked Controls | POWER SELECTABLE 40% 60% 80% 100% | CCT SELECTABLE 40K 50K

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOMLHG4 Bluetooth	GKOMLHG490W27V50KCD	90W	---	12,600 lm	5000K 4000K*	80	---	120-277V 347-480V*	1' x 2'	DLC LISTED PREMIUM	Damp Location	(3) F54T5 (4) F32T8 250W HID	Steel Mounting Cable (Included)	PIR Motion* Sensor Battery* Backup Wire Guard*	5 Years
		GKOMLHG4130W27V50KCD	130W		18,500 lm								4) F54T5 (6) F32T8 400W HID			
		GKOMLHG4B130W27V50KCD	130W		18,500 lm					2' x 2'	---		(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger		
		GKOMLHG4180W27V50KCD	180W		25,200 lm						DLC LISTED PREMIUM		(6) F54T5 (8) F32T8 500W HID			
		GKOMLHG4210W27V50KCD	210W		29,000 lm								(8) F54T5 (10) F32T8			
		GKOMLHG4L130W27V50KCD	130W		18,500 lm					1' x 4'	DLC LISTED PREMIUM		4) F54T5 (6) F32T8 400W HID			
		GKOMLHG4L180W27V50KCD	180W		24,000 lm								(6) F54T5 (8) F32T8 500W HID			
		GKOMLHG4L210W27V50KCD	210W		29,000 lm						---		(8) F54T5 (10) F32T8			
		GKOMLHG4270W27V50KCD	270W		37,000 lm					2' x 4'	DLC LISTED PREMIUM		(12) F54T5 (14) F32T8			
		GKOMLHG4300W27V50KCD	300W		41,500 lm								(16) F54T5 (18) F32T8 1,000W HID			
		GKOMLHG4370W27V50KCD	370W		50,500 lm								(20) F54T5 (24) F32T8			
	GKOMLHG6 Bluetooth POWER SELECTABLE CCT SELECTABLE	GKOMLHG690W27V50KPD	90W	---	12,500 lm	5000K 4000K*	80	---	120-277V 347-480V*	1' x 1'	DLC LISTED PREMIUM	Damp Location	(3) F54T5 (4) F32T8 250W HID	Steel Mounting Cable (Included) Pendant* Hanger	PIR Motion* Sensor Battery* Backup Wire Guard*	5 Years
		GKOMLHG6130W27V50KPD	130W		17,600 lm								(4) F54T5 (6) F32T8 400W HID			
		GKOMLHG6175W27V50KPD	175W		23,500 lm					1' x 2'			(6) F54T5 (8) F32T8			
		GKOMLHG6210W27V50KPD	210W		30,500 lm								(8) F54T5 (10) F32T8			
		GKOMLHG6270W27V50KPD	270W		38,000 lm					1' x 3'			(12) F54T5 (14) F32T8			
		GKOMLHG6300W27V50KPD	300W		40,000 lm								(16) F54T5 (18) F32T8			
		GKOMLHG6210W27V50KPD	210W	Power & CCT	30,500 lm					1' x 2'			(8) F54T5 (10) F32T8			

*Available upon request.

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOMLHG7 Bluetooth POWER SELECTABLE CCT SELECTABLE	GKOMLHG7130W27VDDKWPD	130W	Power & CCT	18,500 lm	5000K 4000K*	80	---	120-277V	10" x 14"	DLC LISTED PREMIUM	Damp Location	(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger Surface* Mounting Brackets	PIR Motion* Sensor Battery* Backup Wire Guard*	5 Years
		GKOMLHG7160W27VDDKWPD	160W		24,100 lm					11" x 18"			(6) F54T5 (8) F32T8			
		GKOMLHG7205W27VDDKWPD	205W		30,500 lm					11" x 18"			(8) F54T5 (12) F32T8			
		GKOMLHG7250W27VDDKWPD	250W		36,100 lm					11" x 27"			(12) F54T5 (18) F32T8			
		GKOMLHG7300W27VDDKWPD	300W		50,000 lm					11" x 27"			(18) F54T5 (20) F32T8			
		GKOMLHG7410W27VDDKWPD	410W		60,600 lm					11" x 36"			(22) F54T5 (26) F32T8			
		GKOMLHG778W27VDDKWPD	78W	CCT	12,100 lm					10" x 14"			(4) F54T5 (6) F32T8 400W HID			
		GKOMLHG796W27VDDKWPD	96W		15,500 lm					11" x 18"						
		GKOMLHG7104W27VDDKWPD	104W		15,200 lm					10" x 14"						
		GKOMLHG7123W27VDDKWPD	123W		19,500 lm					11" x 18"						
		GKOMLHG7128W27VDDKWPD	128W		20,000 lm					11" x 18"						
		GKOMLHG7150W27VDDKWPD	150W		24,000 lm					11" x 27"			(6) F54T5 (8) F32T8			
		GKOMLHG7164W27VDDKWPD	164W		25,000 lm					11" x 18"						
		GKOMLHG7180W27VDDKWPD	180W		28,000 lm					11" x 27"						
		GKOMLHG7200W27VDDKWPD	200W		30,200 lm					11" x 27"			(8) F54T5 (12) F32T8			
		GKOMLHG7240W27VDDKWPD	240W		36,000 lm					11" x 27"			(12) F54T5 (18) F32T8			
		GKOMLHG7246W27VDDKWPD	246W		38,400 lm					11" x 36"						
		GKOMLHG7328W27VDDKWPD	328W		50,000 lm					11" x 36"			(18) F54T5 (20) F32T8			
	GKOHB04	GKOHB04135W27V50KD	135W	---	19,400 lm	5000K 4000K*	70	---	120-277V 347-480V*	15.35"	DLC LISTED PREMIUM	Wet Location	250W MH	Hook & Pendant (Included)	PIR Motion* Sensor Battery* Backup Aluminum* Reflector	5 Years
		GKOHB04175W27V50KD	175W		25,600 lm								320W MH			
		GKOHB04200W27V50KD	200W		29,800 lm								400W MH			
	GKOHB05 Version 2 Bluetooth POWER SELECTABLE	GKOHB05350W27V50KDAD	350W	Power	62,000 lm	5000K 4000K*	70	---	120-277V 347-480V*	24.25"	DLC LISTED PREMIUM	Wet Location	750W MH	Hook & Pendant (Included)	PIR Motion* Sensor	5 Years
		GKOHB05410W27V50KDAD	410W		72,000 lm								1,000W MH			

GKOLED®

*Available upon request.

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Diameter	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOHB06 Bluetooth POWER SELECTABLE CCT SELECTABLE	GKOHB0667W27V50KB	67W	---	9,100 lm	5000K 4000K*	80	---	120-277V	13.03″	DLC LISTED	Wet Location	175W MH	Hook & Pendant (Included) Adjustable* Surface Mounting Bracket	PIR or* Microwave Motion* Sensor Battery* Backup	5 Years
		GKOHB06140W27V50KB	140W		17,500 lm				120-277V 347-480V*				250W MH			
		GKOHB06180W27V50KB	180W		25,000 lm				120-277V	13.1″			400W MH			
		GKOHB06215W27V50KB	215W		30,000 lm								400W MH			
		GKOHB0697W27VDDKB	97W	Power & CCT	14,000 lm					13.17″			250W MH			
		GKOHB06215W27VDDKB	215W		30,500 lm					13.1″			400W MH			
	GKOHBG8 Bluetooth POWER SELECTABLE CCT SELECTABLE	GKOHBG8100W27VDDKBAD2	100W	Power & CCT	14,500 lm	5000K 4000K	76	---	120-277V	10.7″	DLC LISTED PREMIUM	Wet Location	250W MH	Hook (Included) Conduit* Adaptor Adjustable* Surface Mounting Bracket	PIR Motion* Sensor Battery* Backup	5 Years
		GKOHBG8150W27VDDKBAD2	150W		22,500 lm								250W MH			
		GKOHBG8210W27VDDKBAD2	210W		30,000 lm		70			14.1″			400W MH			
		GKOHBG8230W27VDDKBAD2	230W		35,000 lm		76						750W MH			
		GKOHBG860W27VDDKB2	60W	CCT	10,000 lm		70			10.7″			250W MH			
		GKOHBG880W27VDDKB2	80W		13,000 lm								250W MH			
		GKOHBG890W27VDDKB2	90W		14,600 lm								250W MH			
		GKOHBG8120W27VDDKB2	120W		19,000 lm								250W MH			
		GKOHBG8138W27VDDKB2	138W		23,000 lm					14.1″			250W MH			
		GKOHBG8184W27VDDKB2	184W		29,000 lm								750W MH			

Canopy Lights

Bluetooth Networked Controls | POWER SELECTABLE 40% 60% 80% 100% | CCT SELECTABLE 40K 50K

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOCP03 Bluetooth POWER SELECTABLE CCT SELECTABLE	GKOCP0360W27VDDKWPGAD	60W	Power & CCT	7,700 lm	5000K 4000K	70	Parking Garage	120-277V	12″	PENDING DLC LISTED PREMIUM	Wet Location	100W MH	Quick Mount Plate (Included)	PIR Motion* Sensor Battery* Backup	5 Years
		GKOCP0380W27VDDKWPGAD	80W		10,400lm					13″			175W MH			
	GKOCP05	GKOCP0527W27V50KDD	27W	---	3,800 lm	5000K 4000K*	70	Parking Garage	120-277V	---	DLC LISTED PREMIUM	Wet Location	100W MH	Quick Mount Plate (Included)	PIR or** Microwave Motion Sensor Battery** Backup	5 Years
		GKOCP0540W27V50KDD	40W		5,450 lm								175W MH			
		GKOCP0560W27V50KDD	60W		8,000 lm								250W MH			
	GKOCPG7 POWER SELECTABLE CCT SELECTABLE	GKOCPG760W27VDDKDAD	60W	Power & CCT	8,000 lm	5000K 4000K 3000K	70	Parking Garage	120-277V 120-347V*	Small	PENDING DLC LISTED PREMIUM	Wet Location	250W MH	Quick Mount Plate (Included)	Integrated* Photocell Microwave* Motion Sensor PIR Motion* Sensor Battery* Backup	5 Years
		GKOCPG7110W27VDDKDAD	110W		16,500 lm					Large			400W MH			

GKOLED®

*Available upon request.

**Optional external or special order internal versions available.

LED Panels


Bluetooth Networked Controls | POWER SELECTABLE LV3 LV2 LV1 | CCT SELECTABLE 35K 40K 50K | POWER SELECTABLE LV4 LV3 LV2 LV1 | CCT SELECTABLE 30K 35K 40K 50K 65K



Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
GKOPLG2**** Bluetooth POWER SELECTABLE CCT SELECTABLE	GKOPLG222B20W27VPC**	20W	CCT	2,660 lm	5000K 4000K 3500K	83	---	120-277V	2' x 2'	DLC LISTED PREMIUM	Damp Location		Recessed Mounting Surface Mount Kit* Suspension Kit*	Bluetooth* PIR Motion Sensor Battery* Backup	5 Years
	GKOPLG222B25W27VPC**	25W		3,225 lm		83									
	GKOPLG222B30W27VPC	30W	Power & CCT	3,750 lm		83									
	GKOPLG214B25W27VPC**	25W	CCT	3,325 lm		82			1' x 4'						
	GKOPLG214B30W27VPC**	30W		3,870 lm		82									
	GKOPLG214B40W27VPC	40W	Power & CCT	5,000 lm		82									
	GKOPLG224B25W27VPC**	25W	CCT	3,300 lm		83			2' x 4'						
	GKOPLG224B30W27VPC**	30W		3,840 lm		83									
	GKOPLG224B40W27VPC**	40W	Power & CCT	4,960 lm		83									
GKOPLG3 Bluetooth POWER SELECTABLE CCT SELECTABLE	GKOPLG322B26W27VDDKW	26W	CCT	3,640 lm	6500K 5000K 4500K 3500K 3000K	83	---	120-277V	2' x 2'	DLC LISTED PREMIUM	Damp Location		Recessed Mounting Surface Mount Kit* Suspension Kit*	Bluetooth* PIR Motion Sensor Battery* Backup	5 Years
	GKOPLG322B32W27VDDKW	32W	Power & CCT	4,320 lm		83									
	GKOPLG314B32W27VDDKW	32W		4,500 lm		80			1' x 4'	---					
	GKOPLG324B30W27VDDKW	30W	CCT	4,170 lm		84			2' x 4'	DLC LISTED PREMIUM					
	GKOPLG324B36W27VDDKW	36W		4,932 lm		84									
	GKOPLG324B43W27VDDKW	43W	Power & CCT	5,805 lm		84									
	GKOPLG324B71W27VDDKW	71W		10,000 lm		80				---					

LED Troffers

Bluetooth Networked Controls | POWER SELECTABLE LV3 LV2 LV1 | CCT SELECTABLE 35K 40K 50K



Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
GKOTRG1 Bluetooth POWER SELECTABLE CCT SELECTABLE	GKOTRG122D20W27VDDK	20W	CCT	2,800 lm	5000K 4000K 3500K	83	---	120-277V	2' x 2'	DLC LISTED	Damp Location		Recessed Mounting Surface Mount Kit*	Bluetooth* PIR Motion Sensor Battery*** Backup	5 Years
	GKOTRG122D25W27VDDK	25W		3,375 lm		83									
	GKOTRG122D30W27VDDK	30W	Power & CCT	3,900 lm		83									
	GKOTRG122D30W27VDDK	30W	CCT	3,900 lm		80			2' x 2'						
	GKOTRG122D35W27VDDK	35W		4,620 lm		82									
	GKOTRG122D40W27VDDK	40W	Power & CCT	5,200 lm		82									
	GKOTRG114D20W27VDDK	20W	CCT	2,600 lm		84			1' x 4'						
	GKOTRG114D25W27VDDK	25W		3,250 lm		84									
	GKOTRG114D30W27VDDK	30W	Power & CCT	3,900 lm		82									
	GKOTRG124D25W27VDDK	25W	CCT	3,400 lm		82			2' x 4'	DLC LISTED PREMIUM					
	GKOTRG124D30W27VDDK	30W		3,990 lm		82									
	GKOTRG124D34W27VDDK	35W	Power & CCT	4,550 lm		82									
	GKOTRG124D35W27VDDK	34W	CCT	4,760 lm		83			2' x 4'	DLC LISTED					
	GKOTRG124D38W27VDDK	38W		5,130 lm		83									
	GKOTRG124D45W27VDDK	45W	Power & CCT	5,850 lm		83									

*Available upon request. **Lowest CCT option for indicated wattages is 3400K instead of 3500K. ***Not available on some models. ****2' x 2' is available as a Battery Backup model only.

Architectural

Bluetooth Networked Controls | POWER SELECTABLE LV3 LV2 LV1 | CCT SELECTABLE 27K 30K 35K 40K 50K

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Mounting	Accessories	Warranty
	GKOARLG1 Bluetooth POWER SELECTABLE CCT SELECTABLE	White Finish: GKOARLG12F20W27VDDKWIDDHD Black Finish: GKOARLG12F20W27VDDKBIDDHD	20W	Power & CCT	2,600 lm	5000K 4000K 3500K 3000K 2700K	80	100% ↑ 75% ↑ 25% ↓ 50% ↑ 50% ↓ 25% ↑ 75% ↓ 100% ↓	120-277V	2'	PENDING DLC LISTED PREMIUM	Damp Location	Drywall* Pendant Mounting Surface* Mounting Wall* Mounting	PIR Motion* Sensor Battery* Backup Connector* Bracket L Connector* T Connector* X Connector* V Connector* Y Connector* Louver* Diffuser Hexagonal* Louver Diffuser	5 Years
		White Finish: GKOARLG14F40W27VDDKWIDDHD Black Finish: GKOARLG14F40W27VDDKBIDDHD	40W		5,200 lm					4'	PENDING DLC LISTED PREMIUM				
		White Finish: GKOARLG18F80W27VDDKWIDDHD Black Finish: GKOARLG18F80W27VDDKBIDDHD	80W		10,400 lm					8'	PENDING DLC LISTED PREMIUM				
	GKOARCHG2 POWER SELECTABLE CCT SELECTABLE	White Finish: GKOARCHG2315W27VDDKWYATVB Black Finish: GKOARCHG2315W27VDDKBYATVB	15W	Power & CCT	1,500 lm	5000K 4000K 3500K 3000K 2700K	90 80*	Adjustable from 50° to 18°	120-277V	3"	---	Damp Location	Surface* Mounting Cord* Pendant Mounting Stem* Pendant Mounting Adjustable* Surface Mounting	Vortex Baffle Cross Baffle* Wall Wash* Baffle Softening* Lens Linear Spread* Lens Hex Louver* Lens	5 Years
		White Finish: GKOARCHG2425W27VDDKWYATVB Black Finish: GKOARCHG2425W27VDDKBYATVB	25W		2,500 lm					4"	---				
		White Finish: GKOARCHG2640W27VDDKWYATVB Black Finish: GKOARCHG2640W27VDDKWYATVB	40W		4,000 lm					6"	---				

*Available upon request.

Linear Fixtures

Bluetooth Networked Controls | POWER SELECTABLE LV4 LV3 LV2 LV1 | CCT SELECTABLE 30K 35K 40K 50K 65K

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOLFG4 Bluetooth POWER SELECTABLE CCT SELECTABLE	GKOLFG44F40W27VDDKWRSMAD	40W	Power & CCT	5,700 lm	6500K 5000K 4000K 3500K 3000K	80	---	120-277V	4'	DLC LISTED PREMIUM	Damp Location	(2) T8 (1) T5HO 70W HID	Surface Mounting Cable* Suspension Mounting Chain* Suspension Mounting T-Grid* Mounting	PIR Motion* Sensor Microwave* Motion Sensor Battery Backup* Row* Connector Wire* Guard	5 Years
		GKOLFG48F70W27VDDKWRSMAD1	70W		10,000 lm					8'			(4) T8 (2) T5HO 100W HID			


Vapor Tight

POWER SELECTABLE LV3 LV2 LV1 | CCT SELECTABLE 35K 40K 50K

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOVTG4 POWER SELECTABLE CCT SELECTABLE	GKOVTG450W27VDDKGF	50W	Power & CCT	6,800 lm	5000K 4000K 3500K	80	---	120-277V	4'	PENDING DLC LISTED	Wet Location	175W MH	Surface Mounting Bracket 11.8 Inch Chain 9.8 Foot* Cable	Microwave* Motion Sensor Battery* Backup	5 Years
		GKOVTG490W27VDDKGF	90W		13,000 lm					8'	PENDING DLC LISTED PREMIUM		250W MH			

Magnetic Strip Kits

POWER SELECTABLE LV3 LV2 LV1 | CCT SELECTABLE 27K 30K 35K 40K 50K

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	ETL	Replaces	Mounting	Accessories	Warranty
	GKOMSG1 POWER SELECTABLE CCT SELECTABLE	GKOMSG14F21W27VDDKWAD2	21W	CCT	3,049 lm	5000K 4000K 3500K 3000K 2700K	83	---	120-277V	4'	DLC LISTED PREMIUM	Damp Location	(2) T8 (1) T5HO 50W HID	---	Microwave* Motion Sensor Battery* Backup	5 Years
		GKOMSG14F26W27VDDKWAD2	26W		3,712 lm								(2) T8 (1) T5HO 70W HID			
		GKOMSG14F35W27VDDKWAD2	35W	Power & CCT	5,007 lm								(3) T8 (2) T5HO 120W HID			

*Available upon request.

Outdoor

Area Lights

Bluetooth Networked Controls | POWER SELECTABLE 40% 60% 80% 100% | CCT SELECTABLE 30K 40K 50K



Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
GKOALG5	GKOALG5100W27V50KDSQT3S	100W	---	14,100 lm	5000K 4000K*	70	Type III Type IV* Type V*	120-277V 347-480V*	Small	DLC LISTED PREMIUM	Wet Location	250W MH	Pole Mount Adjustable Pole Mount Slipfitter Wall Mount Yoke Mount	Photocell* PIR Motion* Sensor Backlight* Glare Shield	5 Years
	GKOALG5150W27V50KDSQT3	150W		21,000 lm					Medium			400W MH			
	GKOALG5180W27V50KDSQT3	180W		25,000 lm								400W MH			
	GKOALG5250W27V50KDSQT3	250W		35,000 lm					Large			750W MH			
	GKOALG5300W27V50KDSQT3	300W		42,140 lm								1,000W MH			
GKOALG8 Bluetooth POWER SELECTABLE CCT SELECTABLE	GKOALG8100W27VDDKDSQT3AD	100W	Power & CCT	14,500 lm	5000K 4000K 3000K	70	Type III Type IV* Type V*	120-277V 347-480V*	Medium	DLC LISTED PREMIUM	Wet Location	250W MH	Pole Mount Adjustable Pole Mount Slipfitter Wall Mount Yoke Mount	Photocell* PIR Motion* Sensor Backlight* Glare Shield Full* Glare Shield	5 Years
	GKOALG8140W27VDDKDSQT3AD	140W		20,000 lm								400W MH			
	GKOALG8180W27VDDKDSQT3AD	180W		24,000 lm								400W MH			
	GKOALG8250W27VDDKDSQT3AD	250W		33,500 lm					Large			750W MH			
	GKOALG8300W27VDDKDSQT3AD	300W		42,140 lm								1,000W MH			
	GKOALG8400W27VDDKDSQT3AD	400W		61,500 lm	5000K 4000K							1,000W MH			

Roadway Lights



Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
GKORLG2	GKORLG270W27V40KSGT3	70W	---	9,900 lm	5000K* 4000K	70	Type II* Type III Type IV*	120-277V 347-480V*	Small	DLC LISTED PREMIUM	Wet Location	250W MH	---	Photocell*	5 Years
	GKORLG2105W27V40KSGT3	105W		14,600 lm								320W MH			
	GKORLG2150W27V40KSGT3	150W		20,000 lm					Large			400W MH			

Flood Lights

POWER SELECTABLE 40% 60% 80% 100% | CCT SELECTABLE 30K 40K 50K



Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
GKOFD08	GKOFD0815W27V50KDDB76KN	15W	---	2,000 lm	5000K 4000K*	70	7Hx6V	120-277V	X-Small	DLC LISTED PREMIUM	Wet Location	50W MH	Knuckle Trunnion	Photocell*	5 Years
	GKOFD0827W27V50KDDB76KN	27W		3,700 lm								100W MH			
	GKOFD0845W27V50KDDB76KN	45W		6,150 lm					Small			175W MH			
	GKOFD0860W27V50KDDB76KN	60W		7,800 lm				120-277V 347-480V*				250W MH			
	GKOFD0870W27V50KDDB76YK	70W		9,400 lm					Medium			250W MH	Yoke Mount Slipfitter		
	GKOFD08100W27V50KDDB76YK	100W		13,500 lm								250W MH			
	GKOFD08135W27V50KDDB76YK	135W		18,500 lm			7Hx6V 4Hx4V*		Large			320W MH			
	GKOFD08200W27V50KDDB76YK	200W		27,000 lm								400W MH			
	GKOFD08350W27V50KDDB76TR	350W		50,000 lm					X-Large			1,000W MH	Trunnion		


*Available upon request.

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOFDG11 POWER SELECTABLE CCT SELECTABLE	GKOFDG1115WDDKDPB77	15W	Power & CCT	2,050 lm	5000K 4000K 3000K	70	7Hx7V	120-277V	Small	DLC LISTED PREMIUM	Wet Location	50W MH	Knuckle Trunnion	Photocell (Included)	5 Years
		GKOFDG1127WDDKDPB77	27W		3,500 lm								100W MH			
		GKOFDG1140WDDKDPB77	40W		5,700 lm					Medium			175W MH			
		GKOFDG1165WDDKDPB77	65W		9,200 lm								250W MH			
		GKOFDG1190WDDKDPB77	90W		13,400 lm					Large			320W MH	Yoke Mount Slipfitter		
		GKOFDG11120WDDKDPB77	120W		17,500 lm								400W MH			
	GKOFD03	GKOFD15W27V50KBDB77	15W	---	1,500 lm	5000K 4000K* 3000K*	70	7Hx7V	120-277V	Small	---	Wet Location	250W MH	Knuckle Trunnion	---	5 Years
		GKOFD30W27V50KBDB77	30W		3,000 lm					Medium			320W MH			
		GKOFD45W27V50KBDB77	45W		5,400 lm					Large			320W MH			
	GKOFR01	GKOFR20W27V50KBDSFL	20W	---	2,500 lm	5000K	70	20°	120-277V	---	---	Wet Location	100W MH	Knuckle	---	5 Years
		GKOFR20W27V50KBDNFL	20W		2,500 lm			44°								
		GKOFR30W27V50KBDSFL	30W		3,350 lm			20°								
		GKOFR30W27V50KBDNFL	30W		3,350 lm			44°								

Wall Packs

POWER SELECTABLE 40% 60% 80% 100%

CCT SELECTABLE 30K 40K 50K

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOWP08 POWER SELECTABLE CCT SELECTABLE	GKOWP0830W27V50KD	30W	---	3,500 lm	5000K 4000K*	70	---	120-277V	---	DLC LISTED	Wet Location	100W MH	---	Photocell* Battery* Backup (90W Only)	5 Years
		GKOWP0840W27V50KD	40W		4,850 lm								175W MH			
		GKOWP0865W27V50KD	65W		7,900 lm								250W MH			
		GKOWP0890W27V50KD	90W		10,800 lm								320W MH			
		GKOWP08125W27V50KD	125W		15,400 lm								400W MH			
		GKOWP0865W27VDDKDP0AD	65W	Power & CCT	7,900 lm	5000K 4000K 3000K	70	---	120-277V	---	DLC LISTED	Wet Location	250W MH	---	Photocell (Included)	5 Years
		GKOWP08100W27VDDKDP0AD	100W		11,600 lm								400W MH			
	GKOWPG2	GKOWPG227W27V50KD	27W	---	4,100 lm	5000K 4000K*	70	---	120-277V	Small	DLC LISTED PREMIUM	Wet Location	100W MH	---	Photocell* Battery* Backup	5 Years
		GKOWPG245W27V50KD	45W		6,600 lm				120-277V 347-480V*				175W MH			
		GKOWPG270W27V50KD	70W		9,900 lm								250W MH			
		GKOWPG290W27V50KD	90W		12,200 lm								320W MH			
		GKOWPG2135W27V50KD	135W		18,000 lm					Large			400W MH			
	GKOWPG3 POWER SELECTABLE CCT SELECTABLE	GKOWPG370W27VDDKDP0AD	70W	Power & CCT	9,800 lm	5000K 4000K 3000K	70	---	120-277V	Small	DLC LISTED PREMIUM	Wet Location	250W MH	---	Photocell (Included) PIR Motion* Sensor Battery* Backup	5 Years
		GKOWPG3125W27VDDKDAD	125W		17,100 lm				120-277V 347-480V*				400W MH		Photocell* PIR Motion* Sensor	
		GKOWPG3135W27VDDKDAD	135W		18,000 lm					Large			400W MH		Photocell* PIR Motion* Sensor Battery* Backup	

*Available upon request.

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOWPG15 POWER SELECTABLE CCT SELECTABLE	GKOWPG1526W27V50KD	26W	---	3,900 lm	5000K 4000K* 3000K*	70	---	120-277V	Small	---	Wet Location	100W MH	---	Photocell* Battery* Backup	5 Years
		GKOWPG1538W27V50KD	38W		5,800 lm								175W MH			
		GKOWPG1565W27V50KD	65W		9,800 lm				120-277V 347-480V*				250W MH			
		GKOWPG15100W27V50KD	100W		15,000 lm								320W MH			
		GKOWPG15135W27V50KD	135W		20,000 lm				120-277V				400W MH			
		GKOWPG1538W27VDDKDPAD	38W	Power & CCT	5,600 lm						DLC LISTED PREMIUM		175W MH		Photocell (Included) Battery* Backup	
		GKOWPG1565W27VDDKDPAD	65W		9,500 lm				120-277V 347-480V*				250W MH			
		GKOWPG15100W27VDDKDPAD	100W		14,800 lm					Large			320W MH			
	GKOWPG10 POWER SELECTABLE CCT SELECTABLE	GKOWPG1040W27VDDKDPAD	40W	Power & CCT	5,600 lm	5000K 4000K 3000K	70	---	120-277V	Small	AVAILABLE UPON REQUEST DLC LISTED PREMIUM	Wet Location	175W MH	---	Photocell (Included)	5 Years
		GKOWP1080W27VDDKDPADD	80W		11,200 lm					Large			320W MH			
	GKOWM01 Clear Lens	GKOWM15W27V50KDP0	15W	---	1,750 lm	5000K 4000K*	70	---	120-277V	---	---	Wet Location	100W INC	---	Photocell (Included)	5 Years
		GKOWM17W27V50KDP0	17W		1,950 lm								120W INC			
		GKOWM25W27V50KDP0	25W		2,600 lm								50W MH			
	GKOWM01 Frosted Lens	GKOWM15W27V50KDP0F	15W		1,820 lm								100W INC			
		GKOWM17W27V50KDP0F	17W		2,000 lm								120W INC			
		GKOWM25W27V50KDP0F	25W		2,700 lm								50W MH			
	GKOWMG2	GKOWMG210W27VDDKDPBC	10W	CCT	1,350 lm	5000K 4000K 3000K	80	---	120-277V	---		Wet Location	100W INC		Photocell (Included) Battery Backup (Included)	5 Years
		GKOWMG220W27VDDKDPBC	20W		2,600 lm								50W MH			

Dusk To Dawn

POWER SELECTABLE 40% 60% 80% 100%

CCT SELECTABLE 30K 40K 50K

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKODDG5 POWER SELECTABLE CCT SELECTABLE	GKODDG545W27V50KSGP0	45W	---	6,200 lm	5000K 4000K*	70	---	120-277V	---	DLC LISTED PREMIUM	Wet Location	100W MH	Mounting* Arm	Photocell (Included)	5 Years
		GKODDG565W27V50KSGP0	65W		8,800 lm								175W MH			
		GKODDG590W27V50KSGP0	90W		12,400 lm								250W MH			
		GKODDG545W27VDDKSGP0AD	45W	Power & CCT	6,000 lm	5000K 4000K 3000K					---		100W MH			
		GKODDG565W27VDDKSGP0AD	65W		8,600 lm								175W MH			
		GKODDG580W27VDDKSGP0AD	80W		11,500 lm								250W MH			


Post Top Lights

Bluetooth Networked Controls | POWER SELECTABLE LV4 LV3 LV2 LV1 | CCT SELECTABLE 30K 40K 50K

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOPTG1 POWER SELECTABLE CCT SELECTABLE	GKOPTG1130W27VDDKD	130W	Power & CCT	16,000 lm	5000K 4000K 3000K	70	---	120-277V	---	AVAILABLE UPON REQUEST DLC LISTED PREMIUM	Wet Location	400W MH	---	Photocell* PIR Motion* Sensor	5 Years
	GKOPTG4 Bluetooth POWER SELECTABLE CCT SELECTABLE	Frosted Diffuser: GKOPTG4130W34VDDKDPADFD	130W	Power & CCT	15,500 lm	5000K 4000K 3000K	80	Type V	120-347V 277-480V*	---	PENDING DLC LISTED PREMIUM	Wet Location	400W MH	---	Photocell (Included) PIR*** Motion Sensor	5 Years
		Field Adjustable Optics: GKOPTG4130W34VDDKDPADAT	130W		18,000 lm			Type III Type IV Type V					400W MH			

Bollard Lights

POWER SELECTABLE LV4 LV3 LV2 LV1 | CCT SELECTABLE 30K 40K 50K

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOBL01 POWER SELECTABLE CCT SELECTABLE	Dark Bronze Finish: GKOBL0126W27VDDKD White Finish: GKOBL0126W27VDDKW Black Finish: GKOBL0126W27VDDKB	26W	Power & CCT	3,000lm	5000K 4000K 3000K	70	---	120-277V	---	DLC LISTED	Wet Location	100W MH	---	Battery* Backup Decorative* Base	5 Years

Sports Lights

	Series	Default SKU	Watts	Selectable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	GKOSLG2	GKOSLG2510W27V50KBB44TR	510W	---	71,000 lm	5000K 4000K* 5700K*	70	4Hx4V	120-277V 347-480V*	---	DLC LISTED PREMIUM	Wet Location	1,500W MH	Trunnion*	Top Visor (Included) Laser* Aiming Sight	5 Years

*Available upon request. **Available with Field Adjustable Optics feature by special order. ***Bluetooth / Standard PIR Sensor only available for white Frosted Diffuser model.

PRODUCT SERIES

INDOOR

- LED Panels
- LED Troffers
- Architectural
- High Bays
- Canopy Lights
- Vapor Tight
- Linear Fixtures
- Magnetic Strip Kits

OUTDOOR

- Area Lights
- Flood Lights
- Roadway Lights
- Sports Lights
- Wall Packs
- Dusk To Dawn
- Bollards
- Post Top



